



National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination

Pass _____ Fail _____

CARDIAC ARREST MANAGEMENT / AED

Original Test _____ Retest _____ Student # _____

Candidate: _____

Examiner: _____

Date: _____

Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Determines the scene/situation is safe	1	
Attempts to question bystanders about arrest events	1	
Checks patient responsiveness	1	
Requests additional EMS assistance	1	
Checks breathing and pulse simultaneously	1	
NOTE: After checking responsiveness, then checking breathing and pulse for no more than 10 seconds, examiner informs candidate, "The patient is unresponsive, apneic and pulseless."		
Immediately begins chest compressions [adequate depth and rate; allows the chest to recoil completely]	1	
Performs 2 minutes of high-quality, 1-rescuer adult CPR -Adequate depth and rate (1 point) -Correct compression-to-ventilation ratio (1 point) -Allows the chest to recoil completely (1 point) -Adequate volumes for each breath (1 point) -Minimal interruptions of no more than 10 seconds throughout (1 point)	5	
NOTE: After 2 minutes (5 cycles), candidate assesses patient and second rescuer resumes compressions while candidate operates AED.		
Turns on power to AED	1	
Follows prompts and correctly attaches AED to patient	1	
Stops CPR and ensures all individuals are clear of the patient during rhythm analysis	1	
Ensures that all individuals are clear of the patient and delivers shock from AED	1	
Immediately directs rescuer to resume chest compressions	1	
Actual Time Ended: _____	TOTAL	17
	Passing	11

Critical Criteria

- ____ Failure to take or verbalize appropriate PPE precautions
- ____ Failure to check responsiveness, then check breathing and pulse simultaneously for no more than 10 seconds
- ____ Failure to immediately begin chest compressions as soon as pulselessness is confirmed
- ____ Failure to demonstrate acceptable high-quality, 1-rescuer adult CPR
- ____ Interrupts CPR for more than 10 seconds at any point
- ____ Failure to correctly attach the AED to the patient
- ____ Failure to operate the AED properly
- ____ Failure to deliver shock in a timely manner
- ____ Failure to ensure that all individuals are clear of patient during rhythm analysis and before delivering shock [verbalizes "All clear" and observes]
- ____ Failure to immediately resume compressions after shock delivered
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination

Pass ____ Fail ____

BVM VENTILATION OF AN APNEIC ADULT PATIENT

Original Test ____ Retest ____ Student # ____

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Checks responsiveness	1	
Requests additional EMS assistance	1	
Checks breathing and pulse simultaneously	1	
NOTE: After checking responsiveness, then checking breathing and pulse for no more than 10 seconds, examiner informs candidate, "The patient is unresponsive, apneic and has a weak pulse of 60."		
Opens airway properly	1	
NOTE: The examiner must now inform the candidate, "The mouth is full of secretions and vomitus."		
Prepares rigid suction catheter	1	
Turns on power to suction device or retrieves manual suction device	1	
Inserts rigid suction catheter without applying suction	1	
Suctions the mouth and oropharynx	1	
NOTE: The examiner must now inform the candidate, "The mouth and oropharynx are clear."		
Opens the airway manually	1	
Inserts oropharyngeal airway	1	
NOTE: The examiner must now inform the candidate, "No gag reflex is present and the patient accepts the airway adjunct."		
Ventilates the patient immediately using a BVM device unattached to oxygen [Award this point if candidate elects to ventilate initially with BVM attached to reservoir and oxygen so long as first ventilation is delivered within 30 seconds.]	1	
NOTE: The examiner must now inform the candidate that ventilation is being properly performed without difficulty.		
Re-checks pulse for no more than 10 seconds	1	
Attaches the BVM assembly [mask, bag, reservoir] to oxygen [15 L/minute]	1	
Ventilates the patient adequately -Proper volume to cause visible chest rise (1 point) -Proper rate [10 – 12/minute (1 ventilation every 5 – 6 seconds)] (1 point)	2	
Note: The examiner must now ask the candidate, "How would you know if you are delivering appropriate volumes with each ventilation?"		
Actual Time Ended: _____	TOTAL 16	
	Passing 11	

CRITICAL CRITERIA

- ____ After suctioning the patient, failure to initiate ventilations within 30 seconds or interrupts ventilations for greater than 30 seconds at any time
- ____ Failure to take or verbalize appropriate PPE precautions
- ____ Failure to suction airway **before** ventilating the patient
- ____ Suctions the patient for an excessive and prolonged time
- ____ Failure to check responsiveness, then check breathing and pulse simultaneously for no more than 10 seconds
- ____ Failure to voice and ultimately provide high oxygen concentration [at least 85%]
- ____ Failure to ventilate the patient at a rate of 10 – 12/minute (1 ventilation every 5 – 6 seconds)
- ____ Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- ____ Insertion or use of any adjunct in a manner dangerous to the patient
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

STATION
5A

UPPER AIRWAY
ADJUNCTS
& SUCTION

Pass _____
Fail _____

Please Print

Candidate _____
Examiner _____ Initials _____
Date _____ Start Time _____ Stop Time _____

OROPHARYNGEAL AIRWAY

Points:

Possible
Awarded

Comments

Takes, or verbalizes, body substance isolation precautions	C		
Selects appropriately sized airway	1		
Measures airway	1		
Inserts airway without pushing the tongue posteriorly	1		
Note: The examiner must advise the candidate that the patient is gagging and becoming conscious			
Removes the oropharyngeal airway	1		

Suction

Points:

Possible
Awarded

Comments

Note: The examiner must advise the candidate to suction the patient's airway			
Turns on/prepares suction device	1		
Assures presence of mechanical suction	1		
Inserts the suction tip without suction	1		
Applies suction to the oropharynx/nasopharynx	1		
Candidate demonstrated acceptable suction technique	C		

NASOPHARYNGEAL AIRWAY

Points:

Possible
Awarded

Comments

Note: The examiner must advise the candidate to insert a nasopharyngeal airway			
Selects appropriately sized airway	1		
Measures airway	1		
Verbalizes lubrication of the nasal airway	1		
Fully inserts the airway with the bevel facing toward the septum	1		
Candidate did not insert any adjunct in a manner dangerous to the patient	C		
Candidate completed the station within the 5 minute time limit	C		
Note: Candidate must complete all critical criteria and receive at least 9 points to pass this station.	12		

COMMENTS:

STATION
5B

SUPPLEMENTAL
OXYGEN
ADMINISTRATION

Pass _____
Fail _____

Candidate _____ *Please Print*

Examiner _____ Initials _____

Date _____ Start Time _____ Stop Time _____

Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions	C		
Assembles the regulator to the tank	1		
Opens the tank	1		
Checks for leaks	1		
Checks and verbalizes tank pressure	1		
Attaches non-rebreather mask to oxygen	1		
Prefills reservoir	C		
Adjusts liter flow to 12 liters per minute or greater	C		
Applies and adjusts the mask to the patient's face	1		
Note: The examiner must advise the candidate that the patient is not tolerating the non-rebreather mask. The examiner must instruct the candidate to remove the non-rebreather mask and apply a nasal cannula to the patient.			
Attaches nasal cannula to oxygen	1		
Adjusts liter flow to 6 liters per minute or less	C		
Applies nasal cannula to the patient	1		
Note: The examiner must advise the candidate to discontinue oxygen therapy.			
Removes nasal cannula from the patient	1		
Shuts off the regulator	1		
Relieves the pressure within the regulator	1		
Candidate assembles the tank and regulator without leaks	C		
Candidate completed the station within the 5 minute time limit	C		
Note: Candidate must complete all critical criteria and receive at least 8 points to pass this station.	11		

COMMENTS:



National Registry of Emergency Medical Technicians
Advanced Level Psychomotor Examination

BLEEDING CONTROL/SHOCK MANAGEMENT

Pass _____ Fail _____

Original Test _____ Retest _____ Student # _____

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Applies direct pressure to the wound	1	
NOTE: The examiner must now inform the candidate that the wound continues to bleed.		
Applies tourniquet	1	
NOTE: The examiner must now inform the candidate that the patient is exhibiting signs and symptoms of hypoperfusion.		
Properly positions the patient	1	
Administers high concentration oxygen	1	
Initiates steps to prevent heat loss from the patient	1	
Indicates the need for immediate transportation	1	
Actual Time Ended: _____	TOTAL 7	
	Passing 5	

CRITICAL CRITERIA

- _____ Did not take or verbalize appropriate PPE precautions
- _____ Did not apply high concentration of oxygen
- _____ Did not control hemorrhage using correct procedures in a timely manner
- _____ Did not indicate the need for immediate transportation
- _____ Failure to manage the patient as a competent EMT
- _____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on this form (below or turn sheet over).



National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination

LONG BONE IMMOBILIZATION

Pass ____ Fail ____

Original Test ____ Retest ____ Student # ____

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Measures the splint	1	
Applies the splint	1	
Immobilizes the joint above the injury site	1	
Immobilizes the joint below the injury site	1	
Secures the entire injured extremity	1	
Immobilizes the hand/foot in the position of function	1	
Reassesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		

Actual Time Ended: _____

TOTAL 10

Passing 7

Critical Criteria

- ____ Failure to immediately stabilize the extremity manually
- ____ Grossly moves the injured extremity
- ____ Failure to immobilize the joint above and the joint below the injury site
- ____ Failure to immobilize the hand or foot in a position of function
- ____ Failure to reassess distal motor, sensory and circulatory functions in the injured extremity before and after splinting
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



National Registry of Emergency Medical Technicians®
Emergency Medical Technician Psychomotor Examination

JOINT IMMOBILIZATION

Pass ____ Fail ____

Original Test ____ Retest ____ Student # ____

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Actual Time Started: _____


	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Directs application of manual stabilization of the injury	1	
Assesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Selects the proper splinting material	1	
Immobilizes the site of the injury	1	
Immobilizes the bone above the injury site	1	
Immobilizes the bone below the injury site	1	
Secures the entire injured extremity	1	
Reassesses distal motor, sensory and circulatory functions in the injured extremity	1	
NOTE: The examiner acknowledges, "Motor, sensory and circulatory functions are present and normal."		
Actual Time Ended: _____	TOTAL	9
	Passing	6

Critical Criteria

- ____ Failure to immediately stabilize the extremity manually
- ____ Grossly moves the injured extremity
- ____ Failure to immobilize the bone above and below the injury site
- ____ Failure to reassess distal motor, sensory and circulatory functions in the injured extremity before and after splinting
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Emergency Medical Technician Practical Examination



IMMOBILIZATION SKILLS TRACTION SPLINTING

Pass _____
Fail _____

Please Print

Candidate _____

Examiner _____ Initials _____

Date _____ Start Time _____ Stop Time _____

	Points:		Comments
	Possible	Awarded	
Takes, or verbalizes, body substance isolation precautions	C		
Directs application of manual stabilization of the injury	1		
Assesses motor, sensory and circulatory function in the injured extremity	C		
NOTE: The examiner verbally states "motor, sensory and circulatory functions are present and normal"			
Directs the application of manual traction	1		
Prepares / adjusts splint to the proper length	1		
Applies the splint to the injured leg	1		
Applies the proximal security device (e.g....ischial strap)	1		
Applies the distal securing device (e.g.....ankle hitch)	1		
Applies mechanical traction	1		
Positions / secures the support straps	1		
Re-evaluates the proximal / distal security devices	1		
Candidate reassesses motor, sensory and circulatory function in the injured extremity	C		
NOTE: The examiner verbally states "motor, sensory and circulatory functions are present and normal"			
NOTE: The examiner must ask the candidate how he/she would prepare the patient for transportation			
Verbalizes securing the torso to the long board to immobilize the hip	1		
Verbalizes securing the splint to the long board to prevent movement of the splint	1		
Traction is maintained throughout application of the splint	C		
The foot was not excessively rotated or extended after the splint was applied	C		
Secured the ischial strap before applying mechanical traction	C		
Final immobilization supported the femur and prevented rotation of the injured leg	C		
Applied mechanical traction before securing the leg to the splint	C		
Candidate completed station within 10 minute time limit	C		
Note: Candidate must complete all critical criteria and receive at least 8 points to pass this station.	11		

NOTE: If the Sagar splint or the Kendricks Traction Device is used without elevating the patient's leg, application of manual traction is not necessary. The candidate should be awarded one point as if manual traction were applied.

NOTE: If the leg is elevated at all, manual traction must be applied before elevating the leg. The ankle hitch may be applied before elevating the leg and used to provide manual traction.

COMMENTS:



**National Registry of Emergency Medical Technicians
Advanced Level Psychomotor Examination
PATIENT ASSESSMENT - MEDICAL**

Pass _____ Fail _____

Original Test _____ Retest _____ Student # _____

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario: _____

	Possible Points	Points Awarded
Actual Time Started: _____		
Takes or verbalizes appropriate PPE precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of spine	1	
PRIMARY SURVEY		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Assesses airway and breathing -Assessment (1 point) -Assures adequate ventilation (1 point) -Initiates appropriate oxygen therapy (1 point)	3	
Assesses circulation -Assesses/controls major bleeding (1 point) -Assesses skin [either skin color, temperature, or condition] (1 point) -Assesses pulse (1 point)	3	
Identifies priority patients/makes transport decision	1	
HISTORY TAKING AND SECONDARY ASSESSMENT		
History of present illness -Onset (1 point) -Severity (1 point) -Provocation (1 point) -Time (1 point) -Quality (1 point) -Clarifying questions of associated signs and symptoms as related to OPQRST (2 points) -Radiation (1 point)	8	
Past medical history -Allergies (1 point) -Past pertinent history (1 point) -Events leading to present illness (1 point) -Medications (1 point) -Last oral intake (1 point)	5	
Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment] -Cardiovascular -Neurological -Integumentary -Reproductive -Pulmonary -Musculoskeletal -GI/GU -Psychological/Social	5	
Vital signs -Pulse (1 point) -Respiratory rate and quality (1 point each) -Blood pressure (1 point) -AVPU (1 point)	5	
Diagnostics [must include application of ECG monitor for dyspnea and chest pain]	2	
States field impression of patient	1	
Verbalizes treatment plan for patient and calls for appropriate intervention(s)	1	
Transport decision re-evaluated	1	
REASSESSMENT		
Repeats primary survey	1	
Repeats vital signs	1	
Evaluates response to treatments	1	
Repeats secondary assessment regarding patient complaint or injuries	1	
Actual Time Ended: _____		
CRITICAL CRITERIA		
_____ Failure to initiate or call for transport of the patient within 15 minute time limit	TOTAL	48
_____ Failure to take or verbalize appropriate PPE precautions	Passing	33
_____ Failure to determine scene safety before approaching patient		
_____ Failure to voice and ultimately provide appropriate oxygen therapy		
_____ Failure to assess/provide adequate ventilation		
_____ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]		
_____ Failure to differentiate patient's need for immediate transportation versus continued assessment and treatment at the scene		
_____ Does other detailed history or physical examination before assessing and treating threats to airway, breathing, and circulation		
_____ Failure to determine the patient's primary problem		
_____ Orders a dangerous or inappropriate intervention		
_____ Failure to provide for spinal protection when indicated		

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



National Registry of Emergency Medical Technicians
Advanced Level Psychomotor Examination
PATIENT ASSESSMENT - TRAUMA

Pass ____ Fail ____

Original Test ____ Retest ____ Student # ____

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario # _____

Actual Time Started: _____	NOTE: Areas denoted by "****" may be integrated within sequence of primary survey	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions		1	
SCENE SIZE-UP			
Determines the scene/situation is safe		1	
Determines the mechanism of injury/nature of illness		1	
Determines the number of patients		1	
Requests additional help if necessary		1	
Considers stabilization of spine		1	
PRIMARY SURVEY/RESUSCITATION			
Verbalizes general impression of the patient		1	
Determines responsiveness/level of consciousness		1	
Determines chief complaint/apparent life-threats		1	
Airway		2	
-Opens and assesses airway (1 point)	-Inserts adjunct as indicated (1 point)		
Breathing		4	
-Assess breathing (1 point)			
-Assures adequate ventilation (1 point)			
-Initiates appropriate oxygen therapy (1 point)			
-Manages any injury which may compromise breathing/ventilation (1 point)			
Circulation		4	
-Checks pulse (1 point)			
-Assess skin [either skin color, temperature, or condition] (1 point)			
-Assesses for and controls major bleeding if present (1 point)			
-Initiates shock management (1 point)			
Identifies priority patients/makes transport decision based upon calculated GCS		1	
HISTORY TAKING			
Obtains, or directs assistant to obtain, baseline vital signs		1	
Attempts to obtain SAMPLE history		1	
SECONDARY ASSESSMENT			
Head		3	
-Inspects mouth**, nose**, and assesses facial area (1 point)			
-Inspects and palpates scalp and ears (1 point)			
-Assesses eyes for PERRL** (1 point)			
Neck**		3	
-Checks position of trachea (1 point)			
-Checks jugular veins (1 point)			
-Palpates cervical spine (1 point)			
Chest**		3	
-Inspects chest (1 point)			
-Palpates chest (1 point)			
-Auscultates chest (1 point)			
Abdomen/pelvis**		3	
-Inspects and palpates abdomen (1 point)			
-Assesses pelvis (1 point)			
-Verbalizes assessment of genitalia/perineum as needed (1 point)			
Lower extremities**		2	
-Inspects, palpates, and assesses motor, sensory, and distal circulatory functions (1 point/leg)			
Upper extremities		2	
-Inspects, palpates, and assesses motor, sensory, and distal circulatory functions (1 point/arm)			
Posterior thorax, lumbar, and buttocks**		2	
-Inspects and palpates posterior thorax (1 point)			
-Inspects and palpates lumbar and buttocks area (1 point)			
Manages secondary injuries and wounds appropriately		1	
Reassesses patient		1	
Actual Time Ended: _____		TOTAL 42	

CRITICAL CRITERIA

Passing 29

- ____ Failure to initiate or call for transport of the patient within 10 minute time limit
- ____ Failure to take or verbalize appropriate PPE precautions
- ____ Failure to determine scene safety
- ____ Failure to assess for and provide spinal protection when indicated
- ____ Failure to voice and ultimately provide high concentration of oxygen
- ____ Failure to assess/provide adequate ventilation
- ____ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]
- ____ Failure to differentiate patient's need for immediate transportation versus continued assessment/treatment at the scene
- ____ Does other detailed history or physical exam before assessing/treating threats to airway, breathing, and circulation
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians
Advanced Level Psychomotor Examination**

Pass _____ Fail _____

DYNAMIC CARDIOLOGY

Original Test _____ Retest _____ Student # _____

Candidate: _____ **Examiner:** _____

Date: _____ **Signature:** _____

SET # _____

Level of Testing: **NREMT-Intermediate/99** **NR-Paramedic**

Actual Time Started: _____

	Possible Points	Points Awarded
Takes or verbalizes appropriate PPE precautions	1	
Checks patient responsiveness	1	
Checks ABCs [responsive patient] – or – checks breathing and pulse [unresponsive patient]	1	
Initiates CPR if appropriate [verbally]	1	
Attaches ECG monitor in a timely fashion or applies paddles for “Quick Look”	1	
Correctly interprets initial rhythm	1	
Appropriately manages initial rhythm	2	
Notes change in rhythm	1	
Checks patient condition to include pulse and, if appropriate, BP	1	
Correctly interprets second rhythm	1	
Appropriately manages second rhythm	2	
Notes change in rhythm	1	
Checks patient condition to include pulse and, if appropriate, BP	1	
Correctly interprets third rhythm	1	
Appropriately manages third rhythm	2	
Notes change in rhythm	1	
Checks patient condition to include pulse and, if appropriate, BP	1	
Correctly interprets fourth rhythm	1	
Appropriately manages fourth rhythm	2	
Orders high percentages of supplemental oxygen at proper times	1	
Actual Time Ended: _____	TOTAL 24	

Passing 16

CRITICAL CRITERIA

- _____ Failure to deliver first shock in a timely manner
- _____ Failure to verify rhythm before delivering each shock
- _____ Failure to ensure the safety of self and others [verbalizes “All clear” and observes]
- _____ Inability to deliver DC shock [does not use machine properly]
- _____ Failure to demonstrate acceptable shock sequence
- _____ Failure to order initiation or resumption of CPR when appropriate
- _____ Failure to order correct management of airway [ET when appropriate]
- _____ Failure to order administration of appropriate oxygen at proper time
- _____ Failure to diagnose or treat 2 or more rhythms correctly
- _____ Orders administration of an inappropriate drug or lethal dosage
- _____ Failure to correctly diagnose or adequately treat v-fib, v-tach, or asystole
- _____ Failure to manage the patient as a competent EMT
- _____ Exhibits unacceptable affect with patient or other personnel
- _____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**National Registry of Emergency Medical Technicians
Advanced Level Psychomotor Examination**

Pass _____ Fail _____

ORAL STATION

Original Test _____ Retest _____ Student # _____

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario: _____

Actual Time Started: _____		Possible Points	Points Awarded
Scene Management			
Thoroughly assessed and took deliberate actions to control the scene	3		
Assessed the scene, identified potential hazards, did not put anyone in danger	2		
Incompletely assessed or managed the scene	1		
Did not assess or manage the scene	0		
Patient Assessment			
Completed an organized assessment and integrated findings to expand further assessment	3		
Completed primary survey and secondary assessment	2		
Performed an incomplete or disorganized assessment	1		
Did not complete a primary survey	0		
Patient Management			
Managed all aspects of the patient's condition and anticipated further needs	3		
Appropriately managed the patient's presenting condition	2		
Performed an incomplete or disorganized management	1		
Did not manage life-threatening conditions	0		
Interpersonal relations			
Established rapport and interacted in an organized, therapeutic manner	3		
Interacted and responded appropriately with patient, crew, and bystanders	2		
Used inappropriate communication techniques	1		
Demonstrated intolerance for patient, bystanders, and crew	0		
Integration (verbal report, field impression, and transport decision)			
Stated correct field impression and pathophysiological basis, provided succinct and accurate verbal report including social/psychological concerns, and considered alternate transport destinations	3		
Stated correct field impression, provided succinct and accurate verbal report, and appropriately stated transport decision	2		
Stated correct field impression, provided inappropriate verbal report or transport decision	1		
Stated incorrect field impression or did not provide verbal report	0		
Actual Time Ended: _____		TOTAL 15	

Critical Criteria

- ____ Failure to appropriately address any of the scenario's "Mandatory Actions"
- ____ Failure to manage the patient as a competent EMT
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

BACKGROUND INFORMATION	
EMS System description (including urban/rural setting)	Suburban EMS that responds to both emergency and non-emergency calls
Vehicle Type/response capabilities	2 person paramedic level transporting service
Proximity to and level/type of facilities	30 minutes to the attending physician's office 15 minutes to community hospital
DISPATCH INFORMATION	
Nature of the call	Woman can't walk, requests transport to physician's office, non-emergent
Location	Well kept walk-up single family dwelling
Dispatch Time	1512 hours
Weather	68°F spring day
Personnel on scene	Daughter who is serving as primary care giver
SCENE SURVEY INFORMATION	
Scene considerations	10 cement steps up to the front door No access for stretcher from any other doorway
Patient location	1 st floor, back bedroom, narrow hallways & doorways
Visual appearance	Patient sitting in bed with multiple pillows holding her in an upright position, pale in color, does not respond to your presence in the room
Age, gender, weight	58 year old female, 200 pounds
Immediate surroundings (bystanders, family members present)	Clean, neat, well-kept surroundings Daughter is only family member present,
PATIENT ASSESSMENT	
Chief Complaint	Altered level of consciousness
History of present illness	Daughter states "My Mother just passed out a couple of minutes ago from the pain." Patient woke this morning with a painful left leg that has increased in pain, unable to walk without severe pain. Daughter states that her mother, "Has a small sore on her left inner thigh that has gotten bigger over the past few hours and her doctor wants to see her in his office."
Patient responses, symptoms, and pertinent negatives	Patient opens her eyes to loud verbal stimulus but does not verbally respond
PAST MEDICAL HISTORY	
Past Medical History	Adult onset diabetic controlled with diet and oral medication, hypertension, hernia repair years ago
Medications & Allergies	Glucophage bid, Lasix 20 mg qid, diltiazem qid, and Colace qid NKA
Social/family concerns	Patient lives alone after death of husband two years ago, daughter comes to her home each day to help her mother with daily chores

EXAMINATION FINDINGS	
Initial Vital Signs	BP 100/palpation P 130, rapid and weak R 8
Respiratory	Lung sounds are diminished bilaterally
Cardiovascular	Tachycardia, hypotensive
Gastrointestinal	---
Genitourinary	---
Musculoskeletal	---
Neurologic	Opens her eyes to loud verbal stimulus and withdraws to pain Utters incomprehensible sounds Pupils equal and responds sluggishly to light
Integumentary	Large ecchymotic area over the patient's entire left inner thigh extending into the groin, pelvis, and left lower abdomen Area is hot to touch with crepitation under the skin Skin is pale, hot, and moist to touch
Hematologic	---
Immunologic	---
Endocrine	Blood glucose 370 mg/dL
Psychiatric	---
PATIENT MANAGEMENT	
Initial stabilization	Assisted ventilation with high flow oxygen
Treatments	Assisted ventilation with high flow oxygen IV enroute
Monitoring	ECG sinus tachycardia, SpO ₂ 85%
Additional Resources	Consider transportation to facility with immediate surgical capabilities and hyperbarics
Patient response to interventions	No change
TRANSPORT DECISION	
Lifting and moving patient	Place in Reeves stretcher to ambulance stretcher
Mode	Rapid
Facilities	Emergency department
CONCLUSION	
Field Impression	Septic shock
Rationale for Field Impression	Rapidly extending extremity infection, febrile, hypotension, and tachycardia, with altered LOC
Related pathophysiology	What is the basis for the septic shock in this case? Severe bacterial infection
Verbal Report	
MANDATORY ACTIONS	
Rapid identification of life-threat and immediate transportation to the emergency department High flow oxygen	
POTENTIALLY HARMFUL/DANGEROUS ACTIONS ORDERED/PERFORMED	
Delayed transportation for on scene interventions Taking the patient to the doctors office.	

BACKGROUND & DISPATCH INFORMATION FOR CANDIDATE

You are a paramedic on a transporting paramedic unit. You are working with a paramedic partner in a suburban EMS system. You are thirty (30) minutes away from the attending physician's office and fifteen (15) minutes from the community hospital.

At 1512 hours, you are dispatched to a residence for a non-emergent transport of a woman to her doctor's office. It is a clear spring day with a temperature of 68°F. A woman who identifies herself as the patient's daughter meets you at the door.

BACKGROUND INFORMATION	
EMS System description (including urban/rural setting)	
Vehicle Type/response capabilities	
Proximity to and level/type of facilities	
DISPATCH INFORMATION	
Nature of the call	
Location	
Dispatch Time	
Weather	
Personnel on scene	
SCENE SURVEY INFORMATION	
Scene considerations	
Patient location	
Visual appearance	
Age, gender, weight	
Immediate surroundings (bystanders, family members present)	
PATIENT ASSESSMENT	
Chief Complaint	
History of present illness	
Patient responses, symptoms, and pertinent negatives	
PAST MEDICAL HISTORY	
Past Medical History	
Medications and allergies	
Social/family concerns	

EXAMINATION FINDINGS	
Initial Vital Signs	BP P R ; SpO ₂ %
Respiratory	
Cardiovascular	
Gastrointestinal	
Genitourinary	
Musculoskeletal	
Neurologic	
Integumentary	
Hematologic	
Immunologic	
Endocrine	
Psychiatric	
PATIENT MANAGEMENT	
Initial stabilization	
Treatments	
Monitoring	
Additional Resources	
Patient response to interventions	
TRANSPORT DECISION	
Lifting and moving patient	
Mode	
Facilities	
CONCLUSION	
Field Impression	
Rationale for Field Impression	
Related pathophysiology	
Verbal Report	“Please provide me with a verbal report on this patient.” Must include chief complaint, interventions, current patient condition, and ETA.
MANDATORY ACTIONS	
POTENTIALLY HARMFUL/DANGEROUS ACTIONS ORDERED/PERFORMED	



National Registry of Emergency Medical Technicians

Advanced Level Psychomotor Examination INTEGRATED OUT-OF-HOSPITAL SCENARIO

Pass _____ Fail _____

Original Test _____ Retest _____ Student # _____

Candidate: _____

Examiner: _____

Date: _____

Signature _____

Scenario: _____

Actual Start Time: _____

Actual Start Time: _____	Points Possible	Points Awarded
Leadership and Scene Management		
Thoroughly assessed and took deliberate actions to control the scene, encouraged feedback from Team Members	3	
Assessed the scene, identified potential hazards, advocated for safety at all times	2	
Incompletely assessed or managed the scene	1	
Did not assess or manage the scene	0	
Patient Assessment		
Completed an organized assessment and integrated findings to expand further assessment while maintaining situational awareness	3	
Completed primary survey, secondary assessment and reassessment given patient condition	2	
Performed an incomplete or disorganized assessment	1	
Did not complete a primary survey or reassessment of the patient	0	
Patient Management		
Managed all aspects of the patient's condition, anticipated further needs, identified changes and rapidly intervened after confirming critical interventions with partner	3	
Appropriately managed the patient's presenting condition with appropriate timeliness, prioritization/sequence, adapted treatment plan as information became available	2	
Performed an incomplete or disorganized management	1	
Did not manage life-threatening conditions	0	
Interpersonal relations		
Encouraged feedback, took responsibility for the team, established rapport and interacted in an organized, therapeutic manner	3	
Interacted and responded appropriately with patient, crew, and bystanders using closed loop communication and appreciative inquiry	2	
Used inappropriate communication techniques	1	
Demonstrated intolerance for patient, bystanders, and crew	0	

Actual Time Patient Transported: _____

Integration (Field Impression and Transport Decision)		
Provided appropriate management, offered a brief summary of prioritized differential diagnoses and considered alternate transport options	3	
Provided appropriate management and identified appropriate field impression, patient acuity and transport destination to team	2	
Provided correct management but did not identify appropriate field impression, patient acuity or transport destination	1	
Did not provide correct management, appropriate field impression, patient acuity or transport destination	0	
Actual Time Ended: _____		TOTAL 15
Critical Criteria		Passing 10

- ____ Failure to appropriately address any of the scenario's "Mandatory Actions"
- ____ Failure to manage the patient as a competent Paramedic
- ____ Exhibits unacceptable affect with patient or other personnel
- ____ Uses or orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.